



UPTOWN Series // FIRST STREET Line

Product Specification Sheet

PRODUCT INFORMATION	
Construction	Luxury Vinyl Tile (LVT)
Product line	Uptown Series – First Street Line
Specifications	ASTM F 1700, Class III, Type B
Overall thickness	0.079 in. (2.0 mm)
Wear layer thickness	6 mil
Finish	UV-Polyurethane
Surface	Embossed
Edge profile	Square
Installation	Full Spread Adhesives – 2091 Taylor Adhesives (Recommended)
Maintenance options	No Polish – No Buff
Plank sizes	6 in width x 36 in length
Square feet per box	36 □

TEST METHOD	PRODUCT	RESULT
ASTM F-925	5% ACETIC ACID	NO CHANGE
ASTM F-925	RUBBING ALCOHOL	NO CHANGE
ASTM F-925	WHITE MINERAL OIL	NO CHANGE
ASTM F-925	5% SODIUM HYDROXIDE	NO CHANGE
ASTM F-925	HYDROCHLORIC ACID	NO CHANGE
ASTM F-925	5% SULFURIC ACID	NO CHANGE
ASTM F-925	HOUSEHOLD BLEACH	NO CHANGE
ASTM F-925	5% HOUSEHOLD AMMONIA	NO CHANGE
ASTM F-925	OLIVE OIL	NO CHANGE
ASTM F-925	KERESENE	NO CHANGE
ASTM F-925	5% PHENOL DISINFECTANT	NO CHANGE
ASTM F-925	UNLEADED GASOLINE	NO CHANGE

TEST	TEST METHOD	PERFORMANCE VS REQUIREMENT
Resistance to light	ASTM F1515	MEETS REQUIREMENT
Resistance to heat	ASTM F1514	MEETS REQUIREMENT
Color fastness to light	ISO105 B02	MEETS REQUIREMENT
Peel resistance	EN431	EXCEEDS REQUIREMENT
Flexibility	ASTM F137	MEETS REQUIREMENT
Abrasion resistance	ASTM D3389	MEETS REQUIREMENT
Short term indentation	ASTM F1914-98	MEETS REQUIREMENT
Coefficient of friction	ASTM D2047-04	MEETS REQUIREMENT
Slip resistance	ASTM D2047	MEETS REQUIREMENT
Stain resistance	EN423	MEETS REQUIREMENT
Surface burning	ASTM E84	EXCEEDS REQUIREMENT
Curling after exposure to heat	EN434	MEETS REQUIREMENT
Flammability	ASTM E648	EXCEEDS REQUIREMENT
Smoke density	ASTM E662-09	EXCEEDS REQUIREMENT
Static load	ASTM F970-07	EXCEEDS REQUIREMENT
Determination to side length, squareness and straightness	ASTM F2055	EXCEEDS REQUIREMENT
Total thickness	EN428	MEETS REQUIREMENT
Wear layer thickness	EN429	MEETS REQUIREMENT
Wear resistance thickness	EN660-1	MEETS REQUIREMENT
Wear resistance volume	EN660-2	MEETS REQUIREMENT
Formaldehyde	CAS # 000050-00-0	EXCEEDS REQUIREMENT
Acetaldehyde	CAS # 00075-07-0	EXCEEDS REQUIREMENT